

Notice of Allowability

Application No.

10/033,252

Applicant(s)

OHTAKI ET AL.

Examiner

Art Unit

JAMES C KERVEROS

2133

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment filed 8/27/2004.
2. ☒ The allowed claim(s) is/are 1-5.
3. ☒ The drawings filed on 26 December 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 9/10/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

GUY J. LAMARRE
PRIMARY EXAMINER

DETAILED ACTION

1. This Office Action is in response to Amendment filed 8/27/2004.

Allowable Subject Matter

2. Claims 1-5 are allowed.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance:

The prior arts of record taken alone or in combination fail to teach, anticipate, suggest or render obvious the claimed invention, recited in the independent claim 1, for an IC measuring device for determining acceptance or rejection of timing between a data strobe outputted from an IC to be measured and data outputted from the IC, the IC measuring device, in combination with other limitations, including a first edge detector for detecting states of the data strobe at two time points within one test cycle on the basis of the pair of judgment strobe pulses supplied by a first timing generator, a second edge detector for detecting states of the data at two time points within one test cycle on the basis of the pair of judgment strobe pulses supplied by a second timing generator and a judgment section for determining acceptance or rejection of timing of the data with reference to the data strobe on the basis of the states of the data detected by the second edge detector and the states of the data strobe detected by the first edge detector.

Consequently, independent claim 1 is allowed over the prior arts of record. Claims 2-5 are directly or directly depended upon claim 1 and therefore are also allowable.

Art Unit: 2133

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion


5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAMES C KERVEROS whose telephone number is (571) 272-3824. The examiner can normally be reached on 9:00 AM TO 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decady can be reached on (571) 272-3819. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

U.S. PATENT OFFICE
Examiner's Fax: (703) 746-4461
Email: james.kerveros@uspto.gov

Date: 16 December 2004
Office Action: Allowance

By: 
JAMES C KERVEROS
Examiner
Art Unit 2133

@
Guy J. LAMARRE
PRIMARY EXAMINER